

Malaysia's 1st Hidden Multi-Usage Water Purifier

Drinking. Cooking. Washing. Sterilising. All in One Tap.



Unit 2, Teknologi Kubik, No.6, Jalan Teknologi 3/4, Taman Sains Selangor 1, Kota Damansara, 47810, Petaling Jaya, Selangor.





1700 81 6608



1700 81 6609

IntrixLifestyle.com

Authorised dealer

Instant. Purified. Versatile.



INTRIX One Tap is Malaysia's most advanced water purifier.



INSTANT PURIFIED WATER UP TO 98°C



80% ENERGY SAVING



DRINKING. COOKING. WASHING. STERILISING.



SAFETY CHILD LOCK



SPACE-SAVING



HEATPROOF TAP



ONCE A YEAR
FILTER REPLACEMENT





WORLD CLASS ALL-IN-ONE WATER PURIFICATION SYSTEM.

Effectively removes 99.99% microbes up to 0.01 micron (µm).



Sediment Filter

Removes soil, rust, sediment and bigger particles.



Activated Carbon Block

Removes cysts, unpleasant odours, chlorine, chloramine, trihalomethane, VOCs and heavy metals.



Nanofiltration Membrane

Removes bacteria, algae and some viruses while preserving natural minerals.



Eco-friendly

INTRIX filters are designed to be 95% recyclable with more than 80% wastage reduction.

INTRIX One Tap 4-in-1

An integrated hot and ambient tap that dispenses: PURIFIED -



Hot boiling water



NON-PURIFIED -



(Optional for water heater connection)



Available in:





Chrome Brass Matte Black

INTRIX One Tap 2-in-1

A supplementary 2-in-1 tap that dispenses:

PURIFIED



Hot boiling water



Ambient drinking water

Available in:







The most certified water purification system





















Specification

Power Rating	2.0kW @ 8.3A
Operating Voltage	220V-240V
Ambient Water Capacity	Tankless, Instant, Continuous
Hot Water Tank Capacity	2.6L
Hot Water Tank Material	SUS304 Stainless Steel
Hot Water Temperature Range	60°C to 98°C
Hot Water Output/Hour (167ml/cup)	130 cups, up to 98°C
Heating Element Material	Titanium
Filter Cartridge Model	Assure X10 (Made in Korea)
Filtration Method	Sediment + Carbon + Nano Filtration Membrane (0.01µm)
Filter Cartridge Lifespan	23,000L or One year, whichever comes first
Command Centre Dimension (mm) (WxHxD)	190 x 360 x 340
Tap Drilling Hole Size (mm)	35
Filter Change Reminder	Yes







Plan







^{*3} years warranty for FlexiOwn customers. **Within West Malaysia.