



MODEL		AN12CBG	AN09CBG
Horse Power		1.5HP	1.0HP
Energy Stars		3 Stars	3 Stars
Cooling Capacity	BTU	12000	9000
Cooling Capacity	W	3520	2640
Rated Input-Capacity	W	1050	830
Air Circulation (Indoor)	m3/h	600	580
EER for Cooling	W/W	3.35	3.18
Refrigerant	Type	R32	R32
Indoor Unit Noise Level (L/H)	dB(A)	39/32	38/32
Outdoor Unit Noise Level	dB(A)	51	50
Voltage, Frequency, Phase	V	220-240V~50Hz1P	220-240V~50Hz1P
Rated Current	Cooling (A)	4.3	3.7
Maximal Pipe Length	m	20	20
Maximal Heights' Interval	m	10	10
Liquid Pipe	inch	1/4	1/4
Gas Pipe	inch	1/2	3/8
Net Dimensions	Indoor Unit	790 × 255 × 200	790 × 255 × 200
W x H x D (mm)	Outdoor Unit	715 × 540 × 240	660 × 482 × 240
Gross Weight (KG)	Indoor Unit	9	9
	Outdoor Unit	29	24.5



LED Temperature Display



Energy Saving



Self Clean



24 Hour Timer



Dimmer

ALL IN ONE HEALTHY AIR SOLUTION



Fast Cooling



Strong Dehumidification



24h Timer



Easy Installation

Portable
API2NXG

Enjoy the Coolness
Anytime and Anywhere



Ultra-quiet



Smart Mode



Strong Dehumidification



Strong Cooling Capacity



Portable
AP09KVG

3 SPEED FAN

Adjustable At Will

Three wind-sensing experiences to meet different needs.

* Only available on model AP12NXG



AUTO EVAPORATIVE SYSTEM

No Drainage, More Convenient


No drain required and better for cooling capacity, let you sleep well all night.



24H TIMER (REMOTER FUNCTION)

Make An Appointment

Set a timer to turn on or off automatically, simple and convenient operation.



MULTI-PURPOSE

Your Choice

Could be an air conditioner, fan or dehumidifier, just follow your choice.



STRONG DEHUMIDICATION

Comfortable At All Time

Absorb moisture with hydrophilic aluminum fin, better to dehumidify in the rainy season, give you an unexpected comfort experience.



MODEL			AP12NXG	AP09KVG
Ratings	Cooling Capacity	W	3517	2638
	Rated Input-Cooling	W	1060	985
	Rated Current	A	5	4.9
	Moisture Removal	L/H.r	2.4	2.1
	Air Circulation	m3/h	360	280
	EER for Cooling	W/W	3.31	2.68
	Refrigerant		R32	R32
	Refrigerant charge volume	g	300	235
	Indoor Unit Noise Level (Sound Pressure)	dB (A)	52/51/50	50/- /48
	High/ Mid/ Low			
Features	Outdoor Unit Noise Level (Sound Pressure)	dB (A)	59	59
	Unit Control type		Electronic	Electronic
	Fan Control		Button	Button
	Thermostat Control		Button	Button
	Display Type		LED	LED
	Sleep Mode		Yes (on the controller)	Yes (on the controller)
	Dry Mode (auto speed only)		Yes	Yes
	Water Full Indicator		Yes	Yes
	Auto Cool (auto fan in cooling)		Yes (on the controller)	Yes (on the controller)
	Smart Mode (remote access)		Yes (on the controller)	Yes (on the controller)
	Rapid Cool (Jet) Mode (lowest temp & high speed) - remote only		Yes (on the controller)	Yes (on the controller)
	Fan Only		Yes - 3 Speed	Yes - 2 Speed
	Cooling Speed Selections		3	2
	Timer (24 Hr On/Off)		Yes (24 Hr on/off - 1 minutes Increments up to 24 Hrs)	Yes (24 Hr on/off - 1 minutes Increments up to 24 Hrs)
	Clock		Yes (on the controller)	Yes (on the controller)
	Air Swing (Motorized - Upward & Downward Motion)		Yes	NO
	Auto-Restart		Yes	Yes
Others	Fahrenheit to Celsius function		Yes	Yes
	Vent System		Single Duct	Single Duct
	Net Dimensions - WxHxD (mm)	Indoor Unit	433 x 708 x 320	300 x 670 x 330
	Net Weight (kg)	Indoor Unit	25.4	21.4



Brand New Exquisite Panel

Simple & Elegant



CASSETTE AIR CONDITIONER SERIES




FRESH AIR INTRODUCE

Improve indoor air freshness.



EASY -TO-CLEAN FILTER

Effectively filter harmful particles.



360° ROUND FLOW

Uniform temperature distribution.



BIG LOUVER

With 88° free swinging angle.



GOLDEN FIN

The unique anticorrosive golden fin can withstand the salty air, rain and other corrosive elements. Also, it is high end stylish and more attractive than normal fin.

